СОВРЕМЕННЫЙ ПОДХОД К ДИАГНОСТИКЕ НЕАЛКОГОЛЬНОЙ ЖИРОВОЙ БОЛЕЗНИ ПЕЧЕНИ У ПАЦИЕНТОВ С ОЖИРЕНИЕМ

У. Ш. Усманова
Ташкентский педиатрический медицинский институт

АННОТАЦИЯ

Развитие современной медицины требует внедрения в практическое здравоохранение новых легкодоступных технологий оценки компонентного состава тела человека. Это вопросы, обсуждаемые в статье

Ключевые слова: Неалкогольная жировая болезнь печени (НАЖБП), неалкогольный жировой гепатоз (НАЖГ) и неалкогольный стеатогепатит (НАСГ), интегральной тетрачастотной биоимпедансометрии (ИДМ), индекс массы тела (ИМТ).

A NEW METHOD FOR EARLY DIAGNOSTICS OF OBESITY IN NON-ALCOHOLIC FATTY LIVER DISEASE

U. S. Usmanova
Tashkent Pediatric Medical Institute

ABSTRACT

The development of modern medicine requires the introduction into practical health care of new readily available technologies for assessing the component composition of the human body. These are the issues discussed in the article

Keywords: Non-alcoholic fatty liver disease (NAFLD), non-alcoholic fatty hepatosis (NAFH) and non-alcoholic steatohepatitis (NASH), integral tetra-frequency bioimpedansometry (IDM), body mass index (BMI).