ISSN: 2181-1385
Scientific Journal Impact Factor (SJIF) 2021: 5.723
DOI: 10.24411/2181-1385-2021-00313

STABIL ZO'RIQISH STENOKARDIYANI TEMIR TANQISLIK ANEMIYASI FONIDA DAVOLASH XUSUSIYATLARI

Irina Rubenovna Agababyan
Samarkand davlat tibbiyot instituti dotsent

Yulduz Abduvoxidovna Ismoilova
Samarkand davlat tibbiyot instituti assistenti
shohxolxujayev1989@gmail.com

Mirjaxon Komil ugli Meyliyev
Samarkand davlat tibbiyot instituti II kurs klinik ordinator

ANNOTATSIYA

Xozirgi vaqtda komorbidlik ya’ni bir yoki bir nechta kasalliklarni birgalikda kelishi dolzarb muammolardan biridir.[1]Xususan biz yurak ishemik kasalligi(YUIK) stabil zo’riqish stenokardiya va anemiyaning turli og‘irlik darajalari haqida aytib o‘tamiz.Biz YUIK va turli og‘irlik darajasidagi anemiyasi bor bo‘lgan30 ta bemorga 3 valentli temir preparati Sufer (Yuriya-farm Ukraina) 5 ml vena ichiga 5 kun mobaynida standart terapiya asosida quyamiz.Tekshirilgan bemorlarda gemoglobin miqdorining ortishi yurak ishini normallashtiradi,stenokardiya xurujlarini kamaytiradi yoki yo‘qotadi,jismoniy zo’riqishlarga chidamlilikni oshiradi. [2,3]

Kalit so‘zlar: yurak ishemik kasalligi,temir tanqislik kamqonligi, 3valentli temir preparati Sufer.

FEATURES OF TREATMENT OF STABLE STRENGTH ANCHEMIA ON THE BACK OF IRON DEFICIENCY ANEMIA

Irina Rubenovna Agababyan
Associate Professor, Samarkand State Medical Institute

Yulduz Abduvokhidovna Ismoilova
Assistant of Samarkand State Medical Institute
shohxolxujayev1989@gmail.com

Mirjakhon Komil ugli Meyliyev
2nd year clinical ordinator, Samarkand State Medical Institute

ISSN: 2181-1385
Scientific Journal Impact Factor (SJIF) 2021: 5.723
DOI: 10.24411/2181-1385-2021-00313

ABSTRACT

Currently comorbidity is relevant in the outcome of many diseases.[1] In particular,we are talking about IHD,unstable angina and anemia of varying severity. In 30 patients with coronary artery disease in combination with anemia, 3-valence iron was changed, the drug Sufer (Yuria-Pharm Ukraine) at a dose of 5.0 ml iv for 5 days against the background of standard therapy.In examined patients,that an increase in hemoglobin levels contributes to the normalization of the vibros fraction reduce or disappear angina attacks,increased exercise tolerance.[2,3]

Keywords: coronary heart disease, iron-deficiency anemia, the drug 3x valence iron Sufer.